GUZHEN LIGHTING FAIR

Outdoor Lighting Catalog

2026

Decorative lighting for wholesale and project sourcing.

office@guzhenlightingfair.com



Contents

01 Outdoor Floor Lamps 003

02 Portable & Camping Lamps 013

03 Landscape & Accent Lamps 020

04 Pillar & Post Cap Lamps 024

05 Wall Lights 048

Visual Model Index 050



Browse by collection for product specifications, or use the visual model index to find a familiar model number.

Outdoor Floor Lamps

Freestanding lighting for terraces, pool decks and hospitality lounges.






Outdoor Floor Lamps

Power options apply to the models shown. Confirm the selected configuration before ordering.



ZT3260A

DIMENSIONS	Ø640 × H450 mm
MATERIAL	Carbon steel
FINISH	Dark gray / White
LIGHT SOURCE	3 W LED



ZT3260B

DIMENSIONS	Ø920 × H320 mm
MATERIAL	Carbon steel
FINISH	Dark gray / White
LIGHT SOURCE	3 W LED



ZD2122-Queen

DIMENSIONS	Ø490 × H450 mm
MATERIAL	PE
FINISH	White
LIGHT SOURCE	3000 K LED
POWER OPTIONS	Plug-in, rechargeable or external solar
SOLAR PANEL	External, 290 × 350 mm, 12 W



ZD2122-King

DIMENSIONS	Confirm selected size before ordering.
MATERIAL	PE
FINISH	White
LIGHT SOURCE	3000 K LED
POWER OPTIONS	Plug-in, rechargeable or external solar
SOLAR PANEL	External, 290 × 350 mm, 12 W

Outdoor Floor Lamps

Power options apply to the models shown. Confirm the selected configuration before ordering.



ZD2120

DIMENSIONS	1000 × W300 / 1500 × W450 mm
MATERIAL	Carbon steel + PE
FINISH	White
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in, rechargeable or external solar



ZD2123


DIMENSIONS	Ø340 × H1100 mm
MATERIAL	PE
FINISH	White
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in, rechargeable or external solar



ZD2129-A

DIMENSIONS	Ø200 × H320 / Ø550 × H550 mm
MATERIAL	Galvanized iron + PE
FINISH	Silver gray
LIGHT SOURCE	3000 K LED
POWER OPTIONS	Plug-in or external solar
SOLAR PANEL	External, 180 × 270 mm, 6 W
ELECTRICAL	5 V, 3 W
IP RATING	IP65

Confirm battery and runtime specifications.



ZD2129-B

DIMENSIONS	Ø410 × H950 mm
MATERIAL	Galvanized iron + PE
FINISH	Silver gray
LIGHT SOURCE	3000 K LED
POWER OPTIONS	Plug-in or external solar
SOLAR PANEL	External, 180 × 270 mm, 6 W
ELECTRICAL	5 V, 3 W
IP RATING	IP65

Confirm battery and runtime specifications.

Outdoor Floor Lamps

Power options apply to the models shown. Confirm the selected configuration before ordering.



ZD2131-S

DIMENSIONS	W590 × H875 mm
MATERIAL	Stainless steel + PE
FINISH	White
LIGHT SOURCE	3000 K LED
POWER OPTIONS	Plug-in or solar
SOLAR PANEL	External, 180 × 270 mm, 6 W



ZD2131-L

DIMENSIONS	W610 × H1900 mm
MATERIAL	Stainless steel + PE
FINISH	White
LIGHT SOURCE	3000 K LED
POWER OPTIONS	Plug-in or external solar
SOLAR PANEL	External, 290 × 350 mm, 12 W



ZD2136-S/L

DIMENSIONS	Ø380 × H1400 / Ø510 × H1900 mm
MATERIAL	Carbon steel + Synthetic rattan
FINISH	Silver gray / White
LIGHT SOURCE	3000 K LED
POWER OPTIONS	Plug-in or solar
SOLAR PANEL	Ø180 mm



ZD2137

DIMENSIONS	280 × 650 / 450 × 1250 mm
MATERIAL	Metal + PE
FINISH	Black / White
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in, solar or dual-mode

Outdoor Floor Lamps

Power options apply to the models shown. Confirm the selected configuration before ordering.



ZD2138

DIMENSIONS	Ø550 × H1920 mm
MATERIAL	Carbon steel + PE
FINISH	White
LIGHT SOURCE	3000 K LED
POWER OPTIONS	Plug-in or external solar
SOLAR PANEL	External, 290 × 350 mm, 12 W




ZD2139

DIMENSIONS	410 × 410 × 300 mm
MATERIAL	Carbon steel + PE
FINISH	Black / White / Gray
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in, rechargeable or external solar



ZD2381

DIMENSIONS	475 × 425 × 1900 mm
MATERIAL	Stainless steel + PE
FINISH	Silver gray
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in, solar or dual-mode



ZD2183

DIMENSIONS	475 × 425 × 1900 mm
MATERIAL	Stainless steel + PE
FINISH	Silver gray
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in, solar or dual-mode

Outdoor Floor Lamps

Power options apply to the models shown. Confirm the selected configuration before ordering.



ZD2501-S

DIMENSIONS	Ø395 × H950 mm
MATERIAL	Stainless steel + PE
FINISH	Silver gray
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in or solar



ZD2501-L

DIMENSIONS	Ø395 × H500 mm
MATERIAL	Stainless steel + PE
FINISH	Silver gray
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in or solar



ZD2508-S

DIMENSIONS	Confirm selected size before ordering.
MATERIAL	Stainless steel + PE
FINISH	Silver gray
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in or solar



ZD2508-L

DIMENSIONS	Ø920 × H320 mm
MATERIAL	Stainless steel + PE
FINISH	Dark gray / White
LIGHT SOURCE	3 W LED

Outdoor Floor Lamps

Power options apply to the models shown. Confirm the selected configuration before ordering.




ZD2143

DIMENSIONS	Ø250 / Ø300 / Ø400 / Ø500 / Ø600 mm
MATERIAL	PE + Fiberglass-reinforced plastic
FINISH	Beige
LIGHT SOURCE	1 × E27 or 3000 K LED
POWER OPTIONS	Rechargeable, integrated solar, external solar or plug-in
SOLAR PANEL	Ø125 mm
IP RATING	IP65



ZD2112-S/M/L

DIMENSIONS	Confirm selected size before ordering.
MATERIAL	Stainless steel + Acrylic
FINISH	Silver gray
LIGHT SOURCE	3000 K LED
POWER OPTIONS	Plug-in or solar
SOLAR PANEL	Ø200 mm



ZD2154

DIMENSIONS	135 × 400 / 135 × 600 / 135 × 800 / 135 × 1200 mm
MATERIAL	Carbon steel + PE
FINISH	Silver gray
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in, solar or dual-mode



ZD2155-S/M/L

DIMENSIONS	Ø150 × H410 / Ø250 × H630 / Ø250 × H1340 mm
MATERIAL	Carbon steel + PE
FINISH	Green / Blue / Yellow / Red / Black
LIGHT SOURCE	3000 K LED
POWER OPTIONS	Rechargeable

Outdoor Floor Lamps

Power options apply to the models shown. Confirm the selected configuration before ordering.



ZD2156-S/M/L

DIMENSIONS	Confirm selected size before ordering.
MATERIAL	Stainless steel + PE
FINISH	Silver gray
LIGHT SOURCE	3000 K LED
POWER OPTIONS	Plug-in or solar + rechargeable
SOLAR PANEL	Ø150 mm



ZD2163

DIMENSIONS	200 × 200 × 800 mm
MATERIAL	Carbon steel + PE
FINISH	Silver gray
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in, solar or dual-mode



ZD2158

DIMENSIONS	Request dimensions for the selected size.
MATERIAL	Carbon steel + PE
FINISH	Silver gray
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in, solar or dual-mode



ZD2182

DIMENSIONS	420 × 680 mm
MATERIAL	Stainless steel + PE
FINISH	Silver gray
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in, solar or dual-mode

Outdoor Floor Lamps

Power options apply to the models shown. Confirm the selected configuration before ordering.



ZD2168-S/M

DIMENSIONS	260 × 320 / 260 × 760 / 260 × 1500 mm
MATERIAL	Acrylic
FINISH	Silver gray
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in, solar or dual-mode



ZD2168-L

DIMENSIONS	260 × 320 / 260 × 760 / 260 × 1500 mm
MATERIAL	Acrylic
FINISH	White
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in, solar or dual-mode

ZD2184

DIMENSIONS	350 × 1740 mm
MATERIAL	PE
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in, solar or dual-mode



ZD2149-A

DIMENSIONS	Ø220 × H205 mm
MATERIAL	Stainless steel + PE
FINISH	Silver gray
LIGHT SOURCE	3000 K LED
POWER OPTIONS	Rechargeable with Bluetooth speaker

Outdoor Floor Lamps

Power options apply to the models shown. Confirm the selected configuration before ordering.



ZD5004-S/M/L/XL

DIMENSIONS	200 × 150 × 105 / 260 × 200 × 135 / 310 × 235 × 160 / 420 × 320 × 220 mm
MATERIAL	Rotomolded PE
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in, solar or dual-mode



ZD5005

DIMENSIONS	260 × 140 × 270 / 450 × 260 × 530 / 680 × 390 × 790 mm
MATERIAL	Rotomolded PE
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in, solar or dual-mode



ZD5006

DIMENSIONS	140 × 140 × 280 / 250 × 250 × 510 / 530 × 530 × 1160 mm
MATERIAL	Rotomolded PE
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in, solar or dual-mode

Portable & Camping Lamps

Carry and hanging lanterns for outdoor dining, hospitality and leisure.





Portable & Camping Lamps

Power options apply to the models shown. Confirm the selected configuration before ordering.



ZD2125-S/L

DIMENSIONS	Ø230 × H390 / Ø270 × H540 mm
MATERIAL	Stainless steel + PE
FINISH	Silver gray
LIGHT SOURCE	Three-color LED
POWER OPTIONS	Solar + rechargeable
SOLAR PANEL	Ø130 mm
ELECTRICAL	5 V, 2 W

Confirm battery and runtime specifications.



ZD2134

DIMENSIONS	180 × 260 / 230 × 330 mm
MATERIAL	Carbon steel + Synthetic rattan
FINISH	Light yellow / Brown
LIGHT SOURCE	LED



ZD2142

DIMENSIONS	220 × 250 / 300 × 400 / 350 × 600 mm
MATERIAL	Carbon steel + Synthetic rattan
FINISH	Brown
LIGHT SOURCE	LED



ZD2135-S/M/L

DIMENSIONS	Ø200 × H360 / Ø300 × H590 / Ø300 × H1200 mm
MATERIAL	Stainless steel + Glass
FINISH	Silver gray
LIGHT SOURCE	3000 K LED
POWER OPTIONS	Plug-in or solar
SOLAR PANEL	Ø195–Ø295 mm

Portable & Camping Lamps

Power options apply to the models shown. Confirm the selected configuration before ordering.



ZD2147

DIMENSIONS	Ø220 × H360 mm
MATERIAL	Stainless steel + PE
FINISH	Silver gray
LIGHT SOURCE	Three-color LED
POWER OPTIONS	Solar + rechargeable
SOLAR PANEL	Ø120 mm
ELECTRICAL	5 V, 2 W
IP RATING	IP65

Confirm battery and runtime specifications.



ZD2380-S/L

DIMENSIONS	Ø200 × H450 / Ø240 × H550 mm
MATERIAL	Stainless steel + PE
FINISH	Silver gray
LIGHT SOURCE	Three-color LED
POWER OPTIONS	Solar + rechargeable
SOLAR PANEL	Ø130 mm
ELECTRICAL	5 V, 2 W

Confirm battery and runtime specifications.



ZD3101

DIMENSIONS	Ø155 × H225 mm
MATERIAL	Aluminum + Acrylic
FINISH	Silver gray
LIGHT SOURCE	Three-color LED
POWER OPTIONS	Dual-mode
SOLAR PANEL	Ø65 mm



ZD3102

DIMENSIONS	Ø160 × H290 mm
MATERIAL	Aluminum + Acrylic
FINISH	Silver gray
LIGHT SOURCE	Three-color LED
POWER OPTIONS	Solar + rechargeable
SOLAR PANEL	Ø120 mm
ELECTRICAL	5 V, 2 W
IP RATING	IP65

Confirm battery and runtime specifications.

Portable & Camping Lamps

Power options apply to the models shown. Confirm the selected configuration before ordering.



ZD2146

DIMENSIONS	Ø250 × H270 mm
MATERIAL	Stainless steel + PE
FINISH	Silver gray
LIGHT SOURCE	Three-color LED
POWER OPTIONS	Solar + rechargeable
SOLAR PANEL	Ø130 mm
ELECTRICAL	5 V, 2 W

Confirm battery and runtime specifications.



ZD2159-S

DIMENSIONS	145 × 145 × 300 mm
MATERIAL	Carbon steel + PE
FINISH	Silver gray
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in, solar or dual-mode



ZD2159-L

DIMENSIONS	145 × 145 × 500 mm
MATERIAL	Carbon steel + PE
FINISH	Silver gray
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in, solar or dual-mode



ZD2150

DIMENSIONS	Ø200 × H800 mm
MATERIAL	Aluminum + PE
FINISH	Light gray / Red / Green / Yellow
LIGHT SOURCE	3000 K LED

Portable & Camping Lamps

Power options apply to the models shown. Confirm the selected configuration before ordering.



ZD2165

DIMENSIONS	L170 × W170 × H250 mm
MATERIAL	Stainless steel + PE
FINISH	Silver gray
LIGHT SOURCE	Three-color LED
SOLAR PANEL	Ø130 mm
ELECTRICAL	5 V, 2 W

Confirm battery and runtime specifications.



ZD2166

DIMENSIONS	Ø250 × H270 mm
MATERIAL	Stainless steel + PE
FINISH	Silver gray
LIGHT SOURCE	Three-color LED
POWER OPTIONS	Solar + rechargeable
SOLAR PANEL	Ø130 mm
ELECTRICAL	5 V, 2 W

Confirm battery and runtime specifications.



ZD2151

DIMENSIONS	380 × 580 mm
MATERIAL	Stainless steel + Acrylic
FINISH	Silver gray
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in, solar or dual-mode



ZD2173-S

DIMENSIONS	230 × 330 / 230 × 500 mm
MATERIAL	Carbon steel + PE
FINISH	Silver gray
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in, solar or dual-mode


Portable & Camping Lamps

Power options apply to the models shown. Confirm the selected configuration before ordering.



ZD2173-L

DIMENSIONS	230 × 330 / 230 × 500 mm
MATERIAL	Carbon steel + PE
FINISH	White
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in, solar or dual-mode



ZD2181-A/B

DIMENSIONS	L230 × W160 × H120 / L370 × W160 × H225 mm
MATERIAL	Stainless steel + PE
FINISH	Silver gray
LIGHT SOURCE	3000 K LED
POWER OPTIONS	Rechargeable



ZD2001-S/M/L

DIMENSIONS	Ø160 × H334 / Ø280 × H612 / Ø360 × H822 mm
MATERIAL	Stainless steel + Synthetic rattan
FINISH	Yellow-brown
POWER OPTIONS	Rechargeable



ZD2152-S/L

DIMENSIONS	Ø150 / Ø250 mm
MATERIAL	Stainless steel + PE + Fiberglass-reinforced plastic
FINISH	Silver gray
LIGHT SOURCE	Three-color LED
POWER OPTIONS	Solar or rechargeable
SOLAR PANEL	Ø130 mm

Portable & Camping Lamps

Power options apply to the models shown. Confirm the selected configuration before ordering.



ZD2153-S/M/L

DIMENSIONS	Ø180 × H120 / Ø350 × H220 / Ø420 × H250 mm
MATERIAL	PC + PE
FINISH	Pumpkin orange
LIGHT SOURCE	3000 K LED
POWER OPTIONS	Plug-in, rechargeable or external solar
SOLAR PANEL	External, 180 × 270 mm, 6 W

Landscape & Accent Lamps

Sculptural lamps for gardens, paths and decorative installations.





Landscape & Accent Lamps

Power options apply to the models shown. Confirm the selected configuration before ordering.



ZD2162-A/B

DIMENSIONS	230 × 180 × 380 / 290 × 180 × 350 mm
MATERIAL	Resin + Fiberglass-reinforced plastic
DESIGNS	Carrot / seated rabbit / pair
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in, solar or dual-mode



ZD2179

DIMENSIONS	200 × 200 × 330 / 200 × 140 × 530 / 200 × 200 × 580 mm
MATERIAL	Resin
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in, solar or dual-mode



ZD2185-A

DIMENSIONS	L450 × W220 × H460 mm
MATERIAL	PE
FINISH	Yellow
LIGHT SOURCE	3000 K LED
POWER OPTIONS	Solar + rechargeable
SOLAR PANEL	External, 180 × 270 mm, 6 W



ZD2185-B

DIMENSIONS	L520 × W220 × H430 mm
MATERIAL	PE
FINISH	Yellow
LIGHT SOURCE	3000 K LED
POWER OPTIONS	Solar + rechargeable
SOLAR PANEL	External, 180 × 270 mm, 6 W

Landscape & Accent Lamps

Power options apply to the models shown. Confirm the selected configuration before ordering.



ZD2186-A

DIMENSIONS	L570 × W240 × H330 mm
MATERIAL	Resin
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in or solar



ZD2186-B

DIMENSIONS	L310 × W300 × H440 mm
MATERIAL	Resin
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in or solar



ZD2186-C

DIMENSIONS	L500 × W270 × H300 mm
MATERIAL	Resin
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in or solar



ZD6001-A

DIMENSIONS	L410 × W210 × H400 mm
MATERIAL	Resin
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in or solar

Landscape & Accent Lamps

Power options apply to the models shown. Confirm the selected configuration before ordering.



ZD6001-B

DIMENSIONS	L370 × W280 × H320 mm
MATERIAL	Resin
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in or solar




ZD6001-C

DIMENSIONS	L480 × W430 × H330 mm
MATERIAL	Resin
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in or solar



ZD6002

DIMENSIONS	L300 × W230 × H440 mm
MATERIAL	Resin
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in or solar



ZD2526

DIMENSIONS	200 × 200 × 120 / 300 × 300 × 165 / 400 × 400 × 210 mm
MATERIAL	Stainless steel + PE
FINISH	Silver gray
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in, solar or dual-mode

Pillar & Post Cap Lamps

Lighting for entrance pillars, garden walls and perimeter posts.





Pillar & Post Cap Lamps

Power options apply to the models shown. Confirm the selected configuration before ordering.



ZD2112

DIMENSIONS	200 × 200 × 200 / 300 × 300 × 300 / 400 × 400 × 400 mm
MATERIAL	Stainless steel
FINISH	Silver gray
LIGHT SOURCE	3000 K LED
POWER OPTIONS	Plug-in or solar
SOLAR PANEL	Ø150 mm



ZD2382

DIMENSIONS	200 × 200 × 135 / 300 × 300 × 200 / 400 × 400 × 270 mm
MATERIAL	Stainless steel + ABS
FINISH	Silver gray
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in, solar or dual-mode



ZD2383

DIMENSIONS	200 × 200 × 180 / 300 × 300 × 235 / 400 × 400 × 295 mm
MATERIAL	Stainless steel + PE
FINISH	Silver gray
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in, solar or dual-mode



ZD2386

DIMENSIONS	200 × 200 × 135 / 300 × 300 × 205 / 400 × 400 × 270 mm
MATERIAL	Stainless steel + PE
FINISH	Silver gray
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in, solar or dual-mode

Pillar & Post Cap Lamps

Power options apply to the models shown. Confirm the selected configuration before ordering.



ZD2388

DIMENSIONS	200 × 200 × 185 / 300 × 300 × 270 mm
MATERIAL	Stainless steel + PE
FINISH	Silver gray
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in, solar or dual-mode



ZD2389

DIMENSIONS	200 × 200 × 160 / 300 × 300 × 245 / 400 × 400 × 325 mm
MATERIAL	Stainless steel + PE
FINISH	Silver gray
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in, solar or dual-mode



ZD2392

DIMENSIONS	Confirm selected size before ordering.
MATERIAL	Stainless steel + PE
FINISH	Silver gray
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in, solar or dual-mode




ZD2405

DIMENSIONS	200 × 200 × 185 / 300 × 300 × 265 / 400 × 400 × 355 mm
MATERIAL	Stainless steel + PE
FINISH	Silver gray
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in, solar or dual-mode


Pillar & Post Cap Lamps

Power options apply to the models shown. Confirm the selected configuration before ordering.




ZD2512

DIMENSIONS	200 × 200 × 115 / 300 × 300 × 155 / 400 × 400 × 185 mm
MATERIAL	Stainless steel + PE
FINISH	Silver gray
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in, solar or dual-mode



ZD2514

DIMENSIONS	200 × 120 / 300 × 150 / 400 × 200 mm
MATERIAL	Stainless steel + PE
FINISH	Silver gray
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in, solar or dual-mode



ZD2515

DIMENSIONS	200 × 200 × 165 / 300 × 300 × 230 / 400 × 400 × 295 mm
MATERIAL	Stainless steel + PE
FINISH	Silver gray
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in, solar or dual-mode



ZD2516

DIMENSIONS	200 × 200 × 160 / 300 × 300 × 220 / 400 × 400 × 290 mm
MATERIAL	Stainless steel + PE
FINISH	Silver gray
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in, solar or dual-mode


Pillar & Post Cap Lamps

Power options apply to the models shown. Confirm the selected configuration before ordering.



ZD2517

DIMENSIONS	200 × 200 × 125 / 300 × 300 × 165 / 400 × 400 × 215 mm
MATERIAL	Stainless steel + PE
FINISH	Silver gray
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in, solar or dual-mode




ZD2518

DIMENSIONS	200 × 150 / 300 × 195 / 400 × 245 mm
MATERIAL	Stainless steel + PE
FINISH	Silver gray
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in, solar or dual-mode



ZD2519

DIMENSIONS	200 × 200 × 130 / 300 × 300 × 175 / 400 × 400 × 220 mm
MATERIAL	Stainless steel + PE
FINISH	Silver gray
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in, solar or dual-mode




ZD2520

DIMENSIONS	200 × 200 × 155 / 300 × 300 × 215 / 400 × 400 × 275 mm
MATERIAL	Stainless steel + PE
FINISH	Silver gray
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in, solar or dual-mode


Pillar & Post Cap Lamps

Power options apply to the models shown. Confirm the selected configuration before ordering.



ZD2522

DIMENSIONS	200 × 200 × 190 / 300 × 300 × 210 / 400 × 400 × 270 mm
MATERIAL	Stainless steel + PE
FINISH	Silver gray
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in, solar or dual-mode



ZD2523

DIMENSIONS	200 × 100 / 300 × 120 / 400 × 130 mm
MATERIAL	Stainless steel + PE
FINISH	Silver gray
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in, solar or dual-mode



ZD2523

DIMENSIONS	Confirm selected size before ordering.
MATERIAL	Stainless steel + PE
FINISH	Silver gray
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in, solar or dual-mode



ZD2523

DIMENSIONS	400 × 290 mm
MATERIAL	Stainless steel + PE
FINISH	Silver gray
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in, solar or dual-mode

Pillar & Post Cap Lamps

Power options apply to the models shown. Confirm the selected configuration before ordering.



ZD2524

DIMENSIONS	200 × 200 × 170 / 300 × 300 × 215 / 400 × 400 × 275 mm
MATERIAL	Stainless steel + PE
FINISH	Silver gray
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in, solar or dual-mode



ZD2533

DIMENSIONS	200 × 150 / 300 × 210 / 400 × 270 mm
MATERIAL	Stainless steel + PE
FINISH	Silver gray
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in, solar or dual-mode



ZD2538

DIMENSIONS	200 × 180 / 300 × 230 / 400 × 290 mm
MATERIAL	Stainless steel + PE
FINISH	Silver gray
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in, solar or dual-mode



ZD2540

DIMENSIONS	200 × 115 / 300 × 145 / 400 × 185 mm
MATERIAL	Stainless steel + PE
FINISH	Silver gray
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in, solar or dual-mode

Pillar & Post Cap Lamps

Power options apply to the models shown. Confirm the selected configuration before ordering.



ZD2539-F

DIMENSIONS	200 × 200 × 170 / 300 × 300 × 215 / 400 × 400 × 275 mm
MATERIAL	Stainless steel + PE
FINISH	Silver gray
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in, solar or dual-mode



ZD2539-Y

DIMENSIONS	300 × 235 / 400 × 315 mm
MATERIAL	Stainless steel + PE
FINISH	Silver gray
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in, solar or dual-mode



ZD2554

DIMENSIONS	200 × 200 × 155 / 300 × 300 × 220 / 400 × 400 × 280 mm
MATERIAL	Stainless steel + PE
FINISH	Silver gray
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in, solar or dual-mode




ZD2552

DIMENSIONS	200 × 200 × 155 / 300 × 300 × 215 / 400 × 400 × 275 mm
MATERIAL	Stainless steel + PE
FINISH	Silver gray
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in, solar or dual-mode


Pillar & Post Cap Lamps

Power options apply to the models shown. Confirm the selected configuration before ordering.



ZD2558

DIMENSIONS	200 × 200 × 135 / 300 × 300 × 180 / 400 × 400 × 230 mm
MATERIAL	Stainless steel + PE
FINISH	Silver gray
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in, solar or dual-mode




ZD2562

DIMENSIONS	300 × 200 × 150 / 450 × 300 × 210 mm
MATERIAL	Stainless steel + PE
FINISH	Silver gray
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in, solar or dual-mode



ZD2556

DIMENSIONS	200 × 200 × 320 / 300 × 300 × 480 mm
MATERIAL	Stainless steel + PE
FINISH	Silver gray
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in, solar or dual-mode



ZD2572

DIMENSIONS	200 × 200 × 150 / 300 × 300 × 185 / 400 × 400 × 245 mm
MATERIAL	Stainless steel + PE
FINISH	Silver gray
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in, solar or dual-mode

Pillar & Post Cap Lamps

Power options apply to the models shown. Confirm the selected configuration before ordering.



ZD2577

DIMENSIONS	200 × 200 × 150 / 300 × 300 × 185 / 400 × 400 × 245 mm
MATERIAL	Stainless steel + PE
FINISH	Silver gray
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in, solar or dual-mode



ZD2578

DIMENSIONS	300 × 300 × 290 / 400 × 400 × 380 mm
MATERIAL	Stainless steel + PE
FINISH	Silver gray
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in, solar or dual-mode



ZD2578

DIMENSIONS	300 × 300 × 290 / 400 × 400 × 380 mm
MATERIAL	Stainless steel + PE
FINISH	Silver gray
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in, solar or dual-mode



ZD2579

DIMENSIONS	300 × 300 × 290 / 400 × 400 × 380 mm
MATERIAL	Stainless steel + PE
FINISH	Silver gray
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in, solar or dual-mode

Pillar & Post Cap Lamps

Power options apply to the models shown. Confirm the selected configuration before ordering.



ZD2580

DIMENSIONS	300 × 300 × 265 / 400 × 400 × 335 mm
MATERIAL	Stainless steel + PE
FINISH	Silver gray
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in, solar or dual-mode



ZD2581

DIMENSIONS	300 × 230 / 400 × 305 mm
MATERIAL	Stainless steel + PE
FINISH	Silver gray
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in, solar or dual-mode



ZD2582

DIMENSIONS	300 × 260 / 400 × 335 mm
MATERIAL	Stainless steel + PE
FINISH	Silver gray
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in, solar or dual-mode




ZD2589

DIMENSIONS	Confirm selected size before ordering.
MATERIAL	Stainless steel + PE
FINISH	Silver gray
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in, solar or dual-mode

Pillar & Post Cap Lamps

Power options apply to the models shown. Confirm the selected configuration before ordering.




ZD2590

DIMENSIONS	200 × 160 / 300 × 225 / 400 × 285 mm
MATERIAL	Stainless steel + PE
FINISH	Silver gray
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in, solar or dual-mode



ZD2591

DIMENSIONS	300 × 245 / 400 × 325 mm
MATERIAL	Stainless steel + PE
FINISH	Silver gray
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in, solar or dual-mode



ZD2593

DIMENSIONS	200 × 200 × 165 / 300 × 300 × 235 / 400 × 400 × 295 mm
MATERIAL	Stainless steel + PE
FINISH	Silver gray
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in, solar or dual-mode



ZD2598

DIMENSIONS	200 × 200 × 150 / 300 × 300 × 210 / 400 × 400 × 270 mm
MATERIAL	Stainless steel + PE
FINISH	Silver gray
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in, solar or dual-mode

Pillar & Post Cap Lamps

Power options apply to the models shown. Confirm the selected configuration before ordering.



ZD2599

DIMENSIONS	200 × 210 / 300 × 295 / 400 × 380 mm
MATERIAL	Stainless steel + PE
FINISH	Silver gray
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in, solar or dual-mode




ZD2601

DIMENSIONS	200 × 165 / 300 × 235 / 400 × 295 mm
MATERIAL	Stainless steel + PE
FINISH	Silver gray
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in, solar or dual-mode



ZD2602

DIMENSIONS	200 × 185 / 300 × 260 / 400 × 335 mm
MATERIAL	Stainless steel + PE
FINISH	Silver gray
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in, solar or dual-mode




ZD2604

DIMENSIONS	200 × 200 × 165 / 300 × 300 × 225 / 400 × 400 × 280 mm
MATERIAL	Stainless steel + PE
FINISH	Silver gray
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in, solar or dual-mode

Pillar & Post Cap Lamps

Power options apply to the models shown. Confirm the selected configuration before ordering.



ZD2605

DIMENSIONS	200 × 200 × 120 / 300 × 300 × 160 / 400 × 400 × 180 mm
MATERIAL	Stainless steel + PE
FINISH	Silver gray
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in, solar or dual-mode




ZD3108

DIMENSIONS	300 × 300 × 205 / 400 × 400 × 260 mm
MATERIAL	Stainless steel + PE
FINISH	Silver gray
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in, solar or dual-mode



ZD3120

DIMENSIONS	200 × 185 / 300 × 260 / 400 × 335 mm
MATERIAL	Stainless steel + PE
FINISH	Silver gray
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in, solar or dual-mode




ZD3122

DIMENSIONS	300 × 300 × 255 / 400 × 400 × 330 mm
MATERIAL	Stainless steel + PE
FINISH	Silver gray
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in, solar or dual-mode


Pillar & Post Cap Lamps

Power options apply to the models shown. Confirm the selected configuration before ordering.



ZD3140

DIMENSIONS	200 × 185 / 300 × 260 / 400 × 335 mm
MATERIAL	Stainless steel + PE
FINISH	Silver gray
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in, solar or dual-mode



ZD3141

DIMENSIONS	200 × 200 × 165 / 300 × 300 × 230 / 400 × 400 × 300 mm
MATERIAL	Stainless steel + PE
FINISH	Silver gray
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in, solar or dual-mode



ZD3142

DIMENSIONS	200 × 150 / 300 × 210 / 400 × 260 mm
MATERIAL	Stainless steel + PE
FINISH	Silver gray
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in, solar or dual-mode



ZD3145

DIMENSIONS	300 × 260 / 400 × 345 mm
MATERIAL	Stainless steel + PE
FINISH	Silver gray
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in, solar or dual-mode


Pillar & Post Cap Lamps

Power options apply to the models shown. Confirm the selected configuration before ordering.




ZD3146

DIMENSIONS	Confirm selected size before ordering.
MATERIAL	Stainless steel + PE
FINISH	Silver gray
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in, solar or dual-mode




ZD3152

DIMENSIONS	200 × 200 × 145 / 300 × 300 × 180 / 400 × 400 × 230 mm
MATERIAL	Stainless steel + PE
FINISH	Silver gray
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in, solar or dual-mode



ZD3154

DIMENSIONS	200 × 200 × 160 / 300 × 300 × 200 / 400 × 400 × 255 mm
MATERIAL	Stainless steel + PE
FINISH	Silver gray
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in, solar or dual-mode




ZD3155

DIMENSIONS	200 × 200 × 135 / 300 × 300 × 170 / 400 × 400 × 220 mm
MATERIAL	Stainless steel + PE
FINISH	Silver gray
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in, solar or dual-mode

Pillar & Post Cap Lamps

Power options apply to the models shown. Confirm the selected configuration before ordering.




ZD3156

DIMENSIONS	200 × 200 × 110 / 300 × 300 × 145 / 400 × 400 × 200 mm
MATERIAL	Carbon steel + PE
FINISH	Silver gray
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in, solar or dual-mode




ZD3158

DIMENSIONS	200 × 200 × 145 / 300 × 300 × 180 / 400 × 400 × 230 mm
MATERIAL	Carbon steel + PE
FINISH	Silver gray
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in, solar or dual-mode



ZD3161

DIMENSIONS	Confirm selected size before ordering.
MATERIAL	Carbon steel + PE
FINISH	Silver gray
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in, solar or dual-mode



ZD3159

DIMENSIONS	200 × 200 × 145 / 300 × 300 × 195 / 400 × 400 × 245 mm
MATERIAL	Carbon steel + PE
FINISH	Silver gray
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in, solar or dual-mode

Pillar & Post Cap Lamps

Power options apply to the models shown. Confirm the selected configuration before ordering.



ZD2160

DIMENSIONS	Ø200 × H195 / Ø300 × H275 / Ø400 × H360 mm
MATERIAL	Stainless steel + PE + PMMA
FINISH	Silver gray
LIGHT SOURCE	1 × E27 or 3000 K LED
POWER OPTIONS	Solar + rechargeable
SOLAR PANEL	External, 180 × 270 mm, 6 W



ZD2157-S/M/L

DIMENSIONS	Ø180 × H110 / Ø280 × H165 / Ø380 × H220 mm
MATERIAL	Stainless steel + PE
FINISH	Silver gray
LIGHT SOURCE	3000 K LED
POWER OPTIONS	Plug-in, solar or dual-mode
SOLAR PANEL	Ø150 mm



ZD4202

DIMENSIONS	200 × 200 × 120 / 300 × 300 × 150 / 400 × 400 × 200 mm
MATERIAL	Carbon steel + PE
FINISH	Silver gray
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in, solar or dual-mode



ZD3198

DIMENSIONS	Confirm selected size before ordering.
MATERIAL	Carbon steel + PE
FINISH	Silver gray
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in, solar or dual-mode


Pillar & Post Cap Lamps

Power options apply to the models shown. Confirm the selected configuration before ordering.



ZD3183

DIMENSIONS	200 × 200 × 145 / 300 × 300 × 180 / 400 × 400 × 220 mm
MATERIAL	Carbon steel + PE
FINISH	Silver gray
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in, solar or dual-mode



ZD3175

DIMENSIONS	200 × 200 × 160 / 300 × 300 × 205 / 400 × 400 × 265 mm
MATERIAL	Stainless steel + PE
FINISH	Silver gray
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in, solar or dual-mode



ZD3170

DIMENSIONS	300 × 300 × 220 / 400 × 400 × 260 mm
MATERIAL	Stainless steel + PE
FINISH	Silver gray
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in, solar or dual-mode



ZD3177

DIMENSIONS	300 × 300 × 260 / 400 × 400 × 320 mm
MATERIAL	Stainless steel + PE
FINISH	Silver gray
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in, solar or dual-mode

Pillar & Post Cap Lamps

Power options apply to the models shown. Confirm the selected configuration before ordering.



ZD3178

DIMENSIONS	300 × 300 × 230 / 400 × 400 × 290 mm
MATERIAL	Stainless steel + PE
FINISH	Silver gray
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in, solar or dual-mode



ZD3169

DIMENSIONS	250 × 250 × 145 / 350 × 350 × 195 / 450 × 450 × 245 mm
MATERIAL	Stainless steel + PE
FINISH	Silver gray
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in, solar or dual-mode



ZD4205

DIMENSIONS	Confirm selected size before ordering.
MATERIAL	Carbon steel + PE
FINISH	Silver gray
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in, solar or dual-mode



ZD3172

DIMENSIONS	350 × 350 × 230 / 450 × 450 × 280 mm
MATERIAL	Carbon steel + PE
FINISH	Silver gray
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in, solar or dual-mode

Pillar & Post Cap Lamps

Power options apply to the models shown. Confirm the selected configuration before ordering.



ZD4215

DIMENSIONS	300 × 300 × 220 mm
MATERIAL	Carbon steel + Aluminum + Glass
FINISH	Silver gray
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in, solar or dual-mode



ZD4216

DIMENSIONS	300 × 300 × 220 mm
MATERIAL	Stainless steel + Aluminum + Acrylic
FINISH	Silver gray
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in, solar or dual-mode



ZD4217

DIMENSIONS	300 × 300 × 220 mm
MATERIAL	Stainless steel + Aluminum + Acrylic
FINISH	Silver gray
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in, solar or dual-mode



ZD4222

DIMENSIONS	300 × 300 × 255 mm
MATERIAL	Stainless steel + Aluminum + Acrylic
FINISH	Silver gray
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in, solar or dual-mode

Pillar & Post Cap Lamps

Power options apply to the models shown. Confirm the selected configuration before ordering.



ZD4229

DIMENSIONS	300 × 300 × 220 mm
MATERIAL	Aluminum + PE + Acrylic
FINISH	Silver gray
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in, solar or dual-mode



ZD4240

DIMENSIONS	200 × 275 / 300 × 365 / 400 × 455 mm
MATERIAL	Stainless steel + PE
FINISH	Silver gray
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in, solar or dual-mode

Confirm the additional diffuser material.



ZD3162

DIMENSIONS	210 × 210 × 230 / 310 × 310 × 330 / 410 × 410 × 445 mm
MATERIAL	Carbon steel + PE
FINISH	Silver gray
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in, solar or dual-mode



ZD4281

DIMENSIONS	250 × 250 × 215 / 350 × 350 × 280 / 450 × 450 × 350 mm
MATERIAL	Carbon steel + PE
FINISH	Silver gray
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in, solar or dual-mode


Pillar & Post Cap Lamps

Power options apply to the models shown. Confirm the selected configuration before ordering.




ZD4285

DIMENSIONS	250 × 250 × 185 / 340 × 340 × 240 / 430 × 430 × 295 mm
MATERIAL	Carbon steel + PE
FINISH	Silver gray
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in, solar or dual-mode



ZD4286

DIMENSIONS	200 × 200 × 170 / 300 × 300 × 235 / 400 × 400 × 300 mm
MATERIAL	Carbon steel + PE
FINISH	Silver gray
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in, solar or dual-mode



ZD4287

DIMENSIONS	250 × 250 × 190 / 300 × 300 × 220 / 400 × 400 × 270 mm
MATERIAL	Carbon steel + PE
FINISH	Silver gray
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in, solar or dual-mode



ZD4291

DIMENSIONS	200 × 200 × 160 / 300 × 300 × 230 / 400 × 400 × 300 mm
MATERIAL	Carbon steel + PE
FINISH	Silver gray
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in, solar or dual-mode

Pillar & Post Cap Lamps

Power options apply to the models shown. Confirm the selected configuration before ordering.



ZD4296

DIMENSIONS	250 × 250 × 215 / 350 × 350 × 280 / 450 × 450 × 350 mm
MATERIAL	Carbon steel + PE
FINISH	Silver gray
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in, solar or dual-mode

Wall Lights

Decorative and linear fixtures for facades, covered terraces and entrances.





Wall Lights

Power options apply to the models shown. Confirm the selected configuration before ordering.



ZD2133

DIMENSIONS	300 × 450 / 600 × 800 / 700 × 1000 / 300 × 1200 mm
MATERIAL	Stainless steel + PC
FINISH	White
LIGHT SOURCE	3000 K LED
POWER OPTIONS	Plug-in or solar
SOLAR PANEL	External, 180 × 270 mm, 6 W



ZD2164

DIMENSIONS	350 × 100 × 200 mm
MATERIAL	Stainless steel + PE
FINISH	Silver gray
LIGHT SOURCE	LED
POWER OPTIONS	Plug-in, solar or dual-mode



ZD2111

DIMENSIONS	Length options: 300 / 600 / 800 / 1000 / 1200 / 1500 / 1700 / 2000 / 2400 mm. Drawing width: 80 mm.
MATERIAL	Aluminum + Acrylic
FINISH	Matte black / Matte white
LIGHT SOURCE	LED with stepless dimming

Outdoor Floor Lamps

Select a page reference to open specifications. Email us for models marked “Ask for details”.



ZT3260A
Specifications / 004



ZT3260B
Specifications / 004



ZD2120
Specifications / 005



ZD2122-Queen
Specifications / 004

ZD2123
Specifications / 005

ZD2122-King
Specifications / 004



ZD2163
Specifications / 010



ZD2149
Specifications / 011



ZD5005
Specifications / 012



ZD2129-A
Specifications / 005



ZD2129-B
Specifications / 005



ZD2131-S
Specifications / 006

ZD2131-L
Specifications / 006

ZD2137
Specifications / 006



ZD2136-S/L
Specifications / 006



ZD2158-XS/S/M/L
Specifications / 010



ZD2182
Specifications / 010



ZD5006
Specifications / 012

ZD2138
Specifications / 007



ZD2139
Specifications / 007



ZD2143
Specifications / 009



ZD2381
Specifications / 007



ZD2501-L
Specifications / 008



ZD2501-S
Specifications / 008



ZD2168-S/M
Specifications / 011

ZD2184
Specifications / 011



ZD2508-S
Specifications / 008



ZD2508-L
Specifications / 008



ZD2112-S/M/L
Specifications / 009

ZD2154
Specifications / 009



ZD2156-S/M/L
Specifications / 010



ZD2155-S/M/L
Specifications / 009



ZD2168-L
Specifications / 011



ZD5004
Specifications / 012

Portable & Camping Lamps

Select a page reference to open specifications. Email us for models marked “Ask for details”.



ZD2125
Specifications / 014



ZD3101
Specifications / 015



ZD2165
Specifications / 017



ZD2134
Specifications / 014



ZD3102
Specifications / 015



ZD2166
Specifications / 017



ZD2135
Specifications / 014



ZD2146
Specifications / 016



ZD2173-S
Specifications / 017



ZD2142
Specifications / 014



ZD2159-S
Specifications / 016



ZD2173-L
Specifications / 018



ZD2380
Specifications / 015



ZD2150
Specifications / 016



ZD2181-A
Specifications / 018



ZD2147
Specifications / 015



ZD2159-L
Specifications / 016



ZD2151
Specifications / 017



ZD2181-B
Specifications / 018



ZD2508-L
Specifications / 008

Landscape & Accent Lamps

Select a page reference to open specifications. Email us for models marked “Ask for details”.



ZD2130
Ask for details



ZD2185-B
Specifications / 021



ZD2132
Ask for details



ZD2186-A
Specifications / 022



ZD2162-A
Specifications / 021



ZD2186-B
Specifications / 022

ZD2162-B
Specifications / 021



ZD2186-C
Specifications / 022



ZD2185-A
Specifications / 021



ZD2185
Specifications / 021



ZD2187-D
Ask for details



ZD2187-C
Ask for details



ZD2188-E
Ask for details



ZD6001-A
Specifications / 022



ZD6001-B
Specifications / 023



ZD6001-C
Specifications / 023



ZD6001-D
Ask for details

Pillar & Post Cap Lamps

Select a page reference to open specifications. Email us for models marked “Ask for details”.



ZD2112
Specifications / 025



ZD2392
Specifications / 026




ZD2517
Specifications / 028



ZD2524
Specifications / 030



ZD2382
Specifications / 025



ZD2405
Specifications / 026




ZD2518
Specifications / 028



ZD2533
Specifications / 030



ZD2383
Specifications / 025



ZD2512
Specifications / 027




ZD2519
Specifications / 028




ZD2538
Specifications / 030



ZD2386
Specifications / 025



ZD2514
Specifications / 027



ZD2520
Specifications / 028



ZD2539-Y
Specifications / 031



ZD2389
Specifications / 026




ZD2516
Specifications / 027




ZD2523
Specifications / 029



ZD2540
Specifications / 030



ZD2388
Specifications / 026



ZD2515
Specifications / 027



ZD2522
Specifications / 029




ZD2539-F
Specifications / 031



ZD2552
Specifications / 031



ZD2554
Specifications / 031



ZD2558
Specifications / 032



ZD2562
Specifications / 032



ZD2569
Ask for details



ZD2565
Ask for details



ZD2572
Specifications / 032



ZD2581
Specifications / 034



ZD2598
Specifications / 035



ZD3108
Specifications / 037



ZD2577
Specifications / 033



ZD2582
Specifications / 034

Pillar & Post Cap Lamps

Select a page reference to open specifications. Email us for models marked “Ask for details”.



ZD2599
Specifications / 036



ZD3120
Specifications / 037

ZD2578
Specifications / 033



ZD2589
Specifications / 034



ZD2601
Specifications / 036



ZD3122
Specifications / 037



ZD2578
Specifications / 033



ZD2590
Specifications / 035



ZD2602
Specifications / 036



ZD3140
Specifications / 038



ZD2580
Specifications / 034



ZD2593
Specifications / 035



ZD2605
Specifications / 037



ZD3142
Specifications / 038



ZD2579
Specifications / 033



ZD2591
Specifications / 035



ZD2604
Specifications / 036




ZD3141
Specifications / 038



ZD3145
Specifications / 038




ZD3146
Specifications / 039




ZD3152
Specifications / 039




ZD3154
Specifications / 039




ZD3156
Specifications / 040



ZD3155
Specifications / 039



ZD3158
Specifications / 040



ZD4202
Specifications / 041



ZD3178
Specifications / 043



ZD4217
Specifications / 044



ZD3159
Specifications / 040




ZD3198
Specifications / 041



ZD3169
Specifications / 043



ZD4222
Specifications / 044



ZD3161
Specifications / 040



ZD3183
Specifications / 042



ZD4205
Specifications / 043



ZD4229
Specifications / 045

Pillar & Post Cap Lamps

Select a page reference to open specifications. Email us for models marked “Ask for details”.



ZD2160
Specifications / 041



ZD3175
Specifications / 042



ZD3172
Specifications / 043



ZD4240
Specifications / 045



ZD2157
Specifications / 041



ZD3177
Specifications / 042



ZD4216
Specifications / 044



ZD4281
Specifications / 045



ZD2160
Specifications / 041



ZD3170
Specifications / 042



ZD4215
Specifications / 044



ZD3162
Specifications / 045



ZD4285
Specifications / 046



ZD4286
Specifications / 046



ZD4287
Specifications / 046



ZD4290
Ask for details



ZD4296
Specifications / 047



ZD4291
Specifications / 046

Wall Lights

Select a page reference to open specifications. Email us for models marked “Ask for details”.



ZD2133

Specifications / 049



ZD2164

Specifications / 049

ZD2111-L

Specifications / 049

ZD2111-L

Specifications / 049

Trade Inquiries

For wholesale and project requests, send us the model numbers, quantities, preferred power options and destination market.

---

office@guzhenlightingfair.com

Back to contents

